AD-A279 136

AD			
-	 	 	

ARMY PROJECT ORDER NO: 91PP1801

TITLE: MAINTENANCE SUPPORT OF A FIELD STATION IN

SIERRA LEONE, WEST AFRICA

PRINCIPAL INVESTIGATOR: Brian W. J. Mahy, Ph.D., Sc.D.

CONTRACTING

ORGANIZATION: Department of Health & Human Services

Centers for Disease Control & Prevention National Center for Infectious Diseases

Atlanta, Georgia 30333

REPORT DATE: March 8, 1994

TYPE OF REPORT: Final Report (Supplement)

STANTA DE LECTE DE LA SURVE DE LECTE DE

PREPARED FOR: U.S. Army Medical Research, Development,

Acquisition and Logistics Command (Provisional), Fort Detrick, Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;

distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.



REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden. To Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		3. REPORT TYPE AN	
<u> </u>	8 March 1994	Final Repo	rt (Supplement)
4. TITLE AND SUBTITLE Maintenance Support Sierra Leone, West A		on in	5. FUNDING NUMBERS Army Project Order 91PP1801
6. AUTHOR(S) Brian W.J. Mahy, Ph.			
7. PERFORMING ORGANIZATION NAME Department of Health Centers for Disease National Center for Atlanta, Georgia 30	& Human Services Control & Prevent Infectious Diseas 333	ion	8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY U.S. Army Medical Re Acquisition and Logi Fort Detrick Frederick, Maryland	esearch, Developme stics Command (Pr		10. SPONSORING/MONITORING AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES Subtitle: Maintenan West Africa for Lass	ace Support of a E a Fever Investiga	Fie_d Stationations	n in Sierra Leone,
12a. DISTRIBUTION/AVAILABILITY STA	rement		126. DISTRIBUTION CODE
Approved for public	release; distribu	ition unlimit	ted
13. ABSTRACT (Maximum 200 words)			
The purpose of	this addendum is		

The purpose of this addendum is to report the laboratory testing and data analysis results referenced in the last section of May 1, 1992, final report. The development of additional diagnostic tests and testing of 91 sera are described in the Final Analysis section of this addendum.

This addendum is a summary of the investigations of suspect Lassa fever cases completed since submission of the final report dated May 1, 1992.

14. SUBJECT TERMS			15. NUMBER OF PAGES
BD, RAD IV, Proje	ect Order		
,			16. PRICE CODE /
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION		20. LIMITATION OF ABSTRACT
OF REPORT	OF THIS PAGE	OF ABSTRACT	
Unclassified	Unclassified	Unclassfied	Unlimited
NCN 7540 04 300 5500			300 (0 3.00)

Final Report

Memorandum of Understanding (Army Project Order 91PP1801)

MAINTENANCE SUPPORT OF A FIELD STATION IN SIERRA LEONE, WEST AFRICA FOR LASSA FEVER INVESTIGATIONS

Supplemental Final Report

March 8, 1994

Purpose of Supplemental Report: The purpose of this addendum is to report the laboratory testing and data analysis results referenced in the last section of the May 1, 1992 report. The development of additional diagnostic tests and testing of 91 sera are described in the Final Analysis section of this addendum.

Field Station Update: The Lassa Fever Research Project (LFRP) has been disrupted since April 1991, when Liberian rebels invaded the Eastern Province where the LFRP field station is located. The entire project headquarters and hospital base have been relocated to Panguma Hospital, Panguma, Sierra Leone.

Since the relocation, no Lassa fever research or treatment has been carried out in the Nixon Memorial Hospital in Segbwema. Patients are now referred to Panguma Hospital. Lassa fever is the first and second most common cause of death respectively in the male and female wards, and accounts for 17% of all deaths in these two wards. (See attached graphs.)

Panguma Hospital has also been disrupted by rebel activity and a change of government resulting from a successful coup. In December 1993, the Panguma Hospital closed its inpatient facilities because of new rebel activity. To avoid the insurgence, the LFRP project personnel are now conducting a study outside of the Eastern Province to determine the prevalence of Lassa antibody and antigen in the general population. The project remains without a clinical director because of the continued political unrest.

The following is a summary of the investigations of suspect Lassa fever cases completed

since submission of the May 1992 report.

Access	ion For	
BTIS	GRA&I	B
DTIC 1	AB	
Unanna	pesum	
Jasti	icatio	a
Ву		
	but 1 on	1
Avai	labilit	y Godos
	Avail	and/or
Dist	Spec	lal
100		• • • •
IK.	•	11.0
11		

Page 2

- 1 RESEARCH ON CLINICAL FEATURES, IMMUNE RESPONSES, AND PATHOPHYSIOLOGY: No additional research has been completed.
- 2 RESEARCH ON PERSON-TO-PERSON AND HOUSEHOLD TRANSMISSION: No additional research has been completed.
- RESEARCH ON IMPROVED METHODS FOR EARLY RAPID DIAGNOSIS: The IgM-capture enzyme-linked immunosorbent assay (ELISA) has been assembled and the 91 patients from the reporting period (April 11, 1991 to February 25, 1992) have been tested. IgM-capture ELISA antibody appeared earlier than the IgG or IgM immunofluorescent antibody (IFA) in 4 of 13 patients who tested positive for the IgM and IFA test.

The attached tables show the comparison of results from the IFA test, the IgM-capture ELISA, and the antigen-capture ELISA. (Attachments 1-3)

Results of the antigen-capture ELISA were compared with those of virus isolation for 20 patients; of those who were positive by the antigen-capture ELISA, only 2 were positive by virus isolation (Attachment 4). This finding has important implications for assessment of early deaths and for the confirmation of specimens arriving from the field without proper handling for isolation.

The IgG IFA test has now been used on 2,500 survey samples and has the advantage of longevity as described in the previous report.

DIAGNOSIS OF OTHER ETIOLOGIES OF LASSA FEVER LIKE ILLNESS IN SIERRA LEONE: Of the 91 cases evaulated during this reporting period, 44 were identified as non-Lassa illnesses. These 44 specimens were tested by using the IFA technique for CCHF, LCM, Rift Valley fever, Ebola, and yellow fever, and none were positive for other viral antibodies.

These specimens are available for testing by USAMDOC as described in the previous report.

- 5 REDEFINITION OF EPIDEMIC CHARACTERISTICS OF LASSA VIRUS INFECTIONS IN SIERRA LEONE:
 - a. Prospective survey of village populations: No studies have been carried out because of the lack of a clinical director and the unstable political situation.
 - b. Epidemiology in other regions: All studies were described in the previous report.

6 FINAL ANALYSIS

The antigen detection ELISA showed positive results for 27 (57%) of 47 Lassa fever cases. This test provides the ability to confirm the presence of viral antigen in patients within 2 days of admission and such results are important for determining the need for early treatment of patients with ribavirin described in the May 1992 report. The analysis also shows that death due to Lassa fever is highly associated with antigen-positive status, and the test therefore (83%) may be a good predictor of mortality or severity of disease.

The newly developed IgM-capture ELISA, which confirmed 39 (83%) of 47 cases within 4 days of admission, is also an important indicator of the early treatment of patients. The most significant finding of the analysis was observed with the combined use of IgM-capture ELISA and the antigen-detection ELISA. This combination was able to detect 100% of confirmed cases, 90% of which were detected within 4 days of admission.

Furthermore, both the IgM-capture and antigen-detection ELISAs are readily usable in field laboratories such as the Panguma Hospital or Kenema laboratory. The use of this combination of tests in the field has the potential to increase the rapid diagnosis of all cases by as much as 71% in the Sierra Leone field station.

The results of this study show that it is possible to decrease the time required to diagnose Lassa fever, improve the diagnosis of disease among early deaths for which seroconversion cannot be demonstrated, and determine the need for earlier administration of ribavirin to Lassa cases. The use of these test results will also help reduce the administration of ribavirin to non-Lassa cases, which is important in a country such as Sierra Leone where resources for health care are limited.

Lassa IgM

	IgM	¥	
Lassa Case	Negative	Positive	Total
Not a Case	40	4	44
Case	8	39	47
Total	48	43	91

IFAT Compared to IgM and Antigen ELISA

	IFAT	٨T	
Antigen or IgM	Negative	Positive	Total
Negative	39	2	41
Positive	20	33	53
Total	59	35	94

Lassa IFAT Seroconversion or High Initial Titer

	IFAT Status	tatus	
Lassa Case	Negative	Positive	Total
Not a Case	42	2	44
Case	15	32	47
Total	22	34	91

in Liver Tissue of Fatal Lassa Cases Isolation and Antigen Detection

	Isolation	ıtion	
Antigen	Negative	Positive	Total
Negative	7	0	7
Positive	7	7	13
Total	18	2	20


Antigen Detection Among Lassa Cases Only

	Lassa A	Lassa Antigen	
Death	Negative	Positive	Total
<u>§</u>	20	13	33
Yes	0	14	14
Total	20	27	47
RR = 2.07 (1.40-3.07)	7)		

Lassa Antigen Detection

	Lassa /	Lassa Antigen	
Lassa Case No	Negative 41	Positive 3	Total 44
Yes	20	27	47
Total	61	30	91

Diagnoses in Patients who Died in Male Ward



Diagnoses in Patients who Died in Female Ward

